



3

Fornax PvcSlide Sliding Window-Door Hardwares






Fornax PvcSlide
Sliding Window-Door Hardwares



INDEX

Lift Slide Systems	74
Parallel Sliding Systems	78
Simple Sliding Systems	86



Fornax PvcSlide LS-200/300

Lift Slide Systems

Big, Heavy and Aesthetic



Lift Slide Systems are used for heavy sliding doors. Lift Slide systems are functional both in leaving a large area at crossing among areas and presenting a large area of view and also useful with using more than one open sash. Our lift slide system can be work functional and properly until 300 kgs weight of the sash.

Produced by completely special raw materials and could be use very functionaly and safety with heavy sashes. You can use long years Fornax LS Lift Slide Systems with outh any problem.



Advantages

- There is two kind of espagnolette according to doors and windows
- For the big size additional rollers are available
- Could be essambled with in short time and faultless
- It has a ventilation function with the ventilation striker





Fornax PvcSlide LS-200/300


Lift Slide Systems

Technical Hardware Specifications

- KG - Sash Width 650 mm - 2350 mm
- KY - Sash Height..... 1200 mm -3200 mm
- KA.kg_{max} - Sash Weight..... max. 200/300/400 Kg
- BSE - Espagolete Axis..... 27,5 mm / 37,5 mm
- HP - Handle Position..... Window: 400 mm
Door : 1010 mm

Color Options

- Standard color options are as belowed. Please have contact with your customer representative for yourother color requests.




Implementation Schemes

Schema A



Schema B



Schema C



Schema C-1



Schema C-2



Schema D




Schema E



Schema F



Schema G



Fornax PvcSlide LS-200
Lift Slide Systems
Accessories and Espanolettes

Hardware Technical Details

Usage Range	:	Min: 1200mm - Max: 3200mm
Axis	:	27.5mm / 37.5mm

Order Details

27,5 mm Drive Gear	37,5 mm Drive Gear		Length	Length	Pcs
140.127.180.000	140.137.180.000	GR 01	1800	1200-1800	1 Set
140.127.210.000	140.137.210.000	GR 02	2100	1801-2100	1 Set
140.127.240.000	140.137.240.000	GR 03	2400	2101-2400	1 Set
140.127.280.000	140.137.280.000	GR 04	2800	2401-2800	1 Set
140.127.320.000	140.137.320.000	GR 05	3200	2801-3200	1 Set
Connecting Road			Length	Length	Pcs
140.200.150.000		GR 01	900	720-1500	1 Adet
140.200.200.000		GR 02	1400	1501-2000	1 Adet
140.200.250.000		GR 03	1900	2001-2500	1 Adet
140.200.320.000		GR 04	2750	2501-3200	1 Adet
Handles					Pcs
140.308.000.200	Inner Handle-without cylinder				1 Set
140.308.000.100	Inner Handle-with cylinder				1 Set
140.305.000.200	Outer Handle -without cylinder				1 Set
140.305.000.100	Outer Handle -with cylinder				1 Set
140.303.000.500	Sliding Handle- Long				1 Set
200 Kg Accessories Set*					Pcs
140.429.000.001	Ayuso Magnum 200 ALU HB				1 Set
140.430.000.001	Beymetal LR 3500 HB				1 Set
140.409.000.002	Elem HB Alm.E50				1 Set
140.420.000.002	Sapa Corrediza Ha 110 HB				1 Set
140.410.000.002	Saray ISMS_0069-Kleidco-v9				1 Set
140.420.000.004	SIAL KPT 45 AL				1 Set
140.420.000.003	Sistem Alm S45 Yalıtımsız				1 Set
140.428.000.001	Wymar 3000				1 Set
140.429.000.002	Zahit Alm LS 55302				1 Set



**200 Kg Accessories Set Contents

- ① Bogie Front 300 Kg
- ② Bogie Back 300 Kg
- ③ Locking Bolt
- ④ Locking Bolt night vent
- ⑤ Connection Rod
- ⑥ Esp. Packer Bogie
- ⑨ Buffer
- ⑩ Locking Bottom
- ⑪ Guide top

Color Options
Standard color options are as belowed. Please have
contact with your customer representative for your other color requests.



Note: Technical detail sizes are millimetric.

Fornax PvcSlide LS-300
Lift Slide Systems
Accessories and Espanolettes

Hardware Technical Details

Usage Range	:	Min: 1200mm - Max: 3200mm
Axis	:	27.5mm / 37.5mm

Order Details

27,5 mm Drive Gear	37,5 mm Drive Gear		Length	Usage Range	Pcs
140.127.180.000	140.137.180.000	GR 01	1800	1200-1800	1 Set
140.127.210.000	140.137.210.000	GR 02	2100	1801-2100	1 Set
140.127.240.000	140.137.240.000	GR 03	2400	2101-2400	1 Set
140.127.280.000	140.137.280.000	GR 04	2800	2401-2800	1 Set
140.127.320.000	140.137.320.000	GR 05	3200	2801-3200	1 Set

Connecting Road		Length	Usage Range	Pcs
140.200.150.000	GR 01	900	720-1500	1 Adet
140.200.200.000	GR 02	1400	1501-2000	1 Adet
140.200.250.000	GR 03	1900	2001-2500	1 Adet
140.200.320.000	GR 04	2750	2501-3200	1 Adet

Handles		Pcs
140.308.000.200	Inner Handle-without cylinder	1 Set
140.308.000.100	Inner Handle-with Cylinder	1 Set
140.305.000.200	Outer Handle-without cylinder	1 Set
140.305.000.100	Outer Handle-with cylinder	1 Set
140.303.000.500	Sliding Handle- Long	1 Set

300 Kgs Accessories*		300 Kgs Accessories*		Pcs
140.501.000.007	Adopen-Pidosan	140.507.000.001	Fabial FLS 140	1 Set
140.501.000.019	Ako Therm HB	140.508.000.001	Gealan 8000	1 Set
140.501.000.003	Akpa Alm.	140.509.000.001	Hanwha HB PVC	1 Set
140.501.000.015	Altif 7600 Seri AL	140.510.000.002	Inalum Marina 135 RPT	1 Set
140.501.000.013	Altezza New Alum. A 30 New	140.510.000.003	Indalsu Domo 125 RPT	1 Set
140.501.000.005	Alumil M300 S 584 HB	140.515.000.002	Laminex Titan	1 Set
140.501.000.018	Aluplast 70 HB PVC	140.518.000.001	Oral Alm(Alu-Four)	1 Set
140.501.000.002	Aluplast 85 HB PVC	140.520.000.004	Pirnas PVC	1 Set
140.501.000.016	Aluprom 42 HB Alm.	140.520.000.005	Profine Premidor TT2 HB PVC	1 Set
140.501.000.011	Aluswing 110 - Alu	140.521.000.001	Rehau Brilliant PVC HB	1 Set
140.501.000.014	Alutor Alm.	140.521.000.002	Rehau Geneo PVC HB	1 Set
140.501.000.006	Asas RST 126 Alm./Kayra Metal	140.521.000.006	Reynaers CorrederaCP-130 LS	1 Set
140.501.000.004	Asaspen Pvc	140.522.000.001	Salamander - PVC	1 Set
140.529.000.001	Ayuso Magnum 400 ALU HB	140.522.000.008	Sapa CE 140 RPT HB	1 Set
140.530.000.001	Beymetal LR 3500 PLUS HB	140.522.000.004	Saray Alu SS128	1 Set
140.502.000.001	Burak Alm.	140.522.000.002	Schüco Easy Slide CT 70	1 Set
140.503.000.004	Cortizo 4500 Marco Recto	140.522.000.003	Sistem Alm. S3	1 Set
140.503.000.003	Cortizo 4500 Perimetral	140.522.000.005	Sopena Met.ELV135 RT-Perime	1 Set
140.503.000.001	Cuhadaroglu SL 60 HS	140.524.000.005	Tatprof Lift Side Alm	1 Set
140.506.000.001	Egepen Deceuninck Monorial	140.522.400.005	Technico SE-N26200	1 Set
140.527.000.001	Eka slide 70/82 hb pvc	140.522.400.004	Tema Alm.(Std.Kasa)	1 Set
140.506.000.008	Ender Aluminium EIS 115	140.524.000.001	Thysseen HST	1 Set
140.509.000.002	Etem Alm. E3000	140.527.000.005	Veka slide 70/82 hb pvc	1 Set
140.506.000.003	Exlabesa RBT	140.528.000.002	Winsa - PVC	1 Set
140.506.000.004	Extral E-60	140.528.000.001	Wymar 3000	1 Set
140.506.000.005	Extrugasa 2000	140.529.000.002	Zahit Alm. LS 55301 HB	1 Set


**300 Kg Accessories Set Contents


- ① Bogle
- ② Bogle Front 300 Kg
- ③ Bogle Back 300 Kg
- ④ Locking Bolt
- ⑤ Locking Bolt night vent
- ⑥ Connection Rod
- ⑦ Esp. Packer Bogle
- ⑧ Front Bogle Packer
- ⑨ Back Bogle Packer
- ⑩ Buffer
- ⑪ Locking Bottom
- ⑫ Bogle Support

Color Options
Standard color options are as belowed. Please have
contact with your customer representative for your other color requests.



Note: Technical detail sizes are millimetric.





Fornax PvcSlide TS-130 Parallel Sliding Systems

Prestige in Sliding Systems

Fornax Parallel Sliding Systems; A developed system for Sliding Door and Window Fittings which includes T&T Technology and elegance of sliding systems.

Additional profile stock of simple sliding systems is the most effective and prestiged solution.

With its part and associated elements which provides easy and perfect fitting our system which can be practised double and single sash offers completeness and forms a new alternative with its utmost quality and economic way for simple sliding systems.

It provides a comfortable transition possibility among places with its 1600mm opening distance. Sliding technology provides saving of space its inner place with its privilege it presents.

With parallel sliding system can be reached to terrace, -balcony, winter garden and glassed areas easily and is ideal solution for kitchen, working rooms and offices.

Our system which can be manual and semi automatic operated with its tilting speciality up to 130kg provides ventilation of place without opening the sash completely



Our Advantages

- Our system provides usage possibility of 30 Aks. Lockable CH Espagnolette.
- Carrying capacity for Sashes up to 130kg.
- Time saving on fitting
- Can be operated both manual and semiautomatic



Fornax PvcSlide TS-130


Parallel Sliding Systems

Technical Hardware Specifications

- KG - Sash Width500mm - 1600mm
- KY - Sash Height.....885mm - 2400mm
- KA.kg_{max} - Sash Weight.....max. 130 kg
- FG_{max} - Sash Width.....3200mm

Color Options

- Standard color options are as belowed. Please have contact with your customer representative for your other color requests.




Fornax PvcNeoSlide TS-130M
Parallel Sliding Systems
Manual

Hardware Technical Details

Type	:	Manual (M)
Scissors	:	Standart
Weight of the Sash	:	130 Kg
Axis	:	9mm -13mm
Width of the Sash	:	Min: 885mm - Max: 2400mm
Height of the Sash	:	Min: 685mm - Max: 1600mm

 Order Details

15mm Esp./Rail Set*		Vertical	Horizontal	Rail Size	Pcs
198.320.020.100	A200	885-1300	685-1100	2000	1 Set
198.320.020.200	B200	1185-1600	685-1100	2000	1 Set
198.320.020.300	C200	1585-2000	685-1100	2000	1 Set
198.320.020.400	D200	1985-2400	685-1100	2000	1 Set
198.320.026.100	A260	885-1300	885-1300	2600	1 Set
198.320.026.200	B260	1185-1600	885-1300	2600	1 Set
198.320.026.300	C260	1585-2000	885-1300	2600	1 Set
198.320.026.400	D260	1985-2400	885-1300	2600	1 Set
198.320.032.100	A320	885-1300	1185-1600	3200	1 Set
198.320.032.200	B320	1185-1600	1185-1600	3200	1 Set
198.320.032.300	C320	1585-2000	1185-1600	3200	1 Set
198.320.032.400	D320	1985-2400	1185-1600	3200	1 Set
30mm Esp. & Ray Seti**		Vertical	Horizontal	Rail Size	Pcs
198.320.120.300	C200	1585-2000	685-1100	2000	1 Set
198.320.120.400	D200	1985-2400	685-1100	2000	1 Set
198.320.126.300	C260	1585-2000	885-1300	2600	1 Set
198.320.126.400	D260	1985-2400	885-1300	2600	1 Set
198.320.132.300	C320	1585-2000	1185-1600	3200	1 Set
198.320.132.400	D320	1985-2400	1185-1600	3200	1 Set
Accessories Set ***		Handle	Axis	R/L	Pcs
198.331.200.000	130M		9	right	1 Set
198.331.200.100	130M		13	right	1 Set
198.331.300.000	130M		9	left	1 Set
198.331.300.100	130M		13	left	1 Set
198.332.200.000	130M		9	right	1 Set
198.332.200.100	130M		13	right	1 Set
198.332.300.000	130M		9	left	1 Set
198.332.300.100	130M		13	left	1 Set



*15mm * Esp. & Rail group contents:

1 piece 15 Axis Esp. 1 piece Vertical and 2 pieces Horizontal Connection Esp., Bottom Rail, Top Rail, Top Rail Closer Profile, Bottom Roller Cover and Connection Piece.

**30mm Esp. & Rail group contents:

1 piece 30 Axis Esp. 1 piece Vertical and 2 pieces Horizontal Connection Esp., Bottom Rail, Top Rail, Top Rail Closer Profile, Bottom Roller Cover and Connection Piece .

***Accessory Group

130 Kg Roller Set, 130 Kg Roller Cover Set, Cover Support Piece, Top Rail End Cover Set, Bottom Rail Stopper Piece, Top Rail Stopper Piece, Bottom Mile Support Piece, Stay Arm Rail Connection Piece, Sash Tilt Piece, Top Mile Support Piece, Stay arm & Cover, Handle(Optional), Corner Transmission, Security Corner Transmission, Security Bottom Lock Striker, Top Rail Connection Holder

Color Options
Standard color options are as belowed. Please have contact with your customer representative for your other color requests.



Note: Technical detail sizes are millimetric.


Fornax PvcSlide TS-130M
Parallel Sliding Systems
Luxury Manual

Hardware Technical Details

Type	:	Manual (M)
Scissors	:	Luxury Scissors (L)
Weight o the Sash	:	130 Kg
Axis	:	9mm -13mm
Width of the Sash	:	Min: 885mm - Max: 2400mm
Height of the Sash	:	Min: 685mm - Max: 1600mm

 Order Details

15mm Esp. Rail Set*		Vertical	Horizontal	Rail Size	Pcs
197.320.020.100	A200	885-1300	685-1100	2000	1 Set
197.320.020.200	B200	1185-1600	685-1100	2000	1 Set
197.320.020.300	C200	1585-2000	685-1100	2000	1 Set
197.320.020.400	D200	1985-2400	685-1100	2000	1 Set
197.320.026.100	A260	885-1300	885-1300	2600	1 Set
197.320.026.200	B260	1185-1600	885-1300	2600	1 Set
197.320.026.300	C260	1585-2000	885-1300	2600	1 Set
197.320.026.400	D260	1985-2400	885-1300	2600	1 Set
197.320.032.100	A320	885-1300	1185-1600	3200	1 Set
197.320.032.200	B320	1185-1600	1185-1600	3200	1 Set
197.320.032.300	C320	1585-2000	1185-1600	3200	1 Set
197.320.032.400	D320	1985-2400	1185-1600	3200	1 Set
30mm Esp. Rail Set**		Vertical	Horizontal	Rail Size	Pcs
197.320.120.300	C200	1585-2000	685-1100	2000	1 Set
197.320.120.400	D200	1985-2400	685-1100	2000	1 Set
197.320.126.300	C260	1585-2000	885-1300	2600	1 Set
197.320.126.400	D260	1985-2400	885-1300	2600	1 Set
197.320.132.300	C320	1585-2000	1185-1600	3200	1 Set
197.320.132.400	D320	1985-2400	1185-1600	3200	1 Set
Accessories Set***		Handle	Axis	R/L	Pcs
197.331.200.000	130ML		9	right	1 Set
197.331.200.100	130ML		13	right	1 Set
197.331.300.000	130ML		9	left	1 Set
197.331.300.100	130ML		13	left	1 Set
197.332.200.000	130ML		9	right	1 Set
197.332.200.100	130ML		13	right	1 Set
197.332.300.000	130ML		9	left	1 Set
197.332.300.100	130ML		13	left	1 Set



*15 mm Esp.&Rail group contents

1 piece 15 Axis Esp. 1 piece Vertical and 2 pieces
Horizontal Connection Esp., Bottom Rail, Top Rail, Top Rail
Closer Profile Bottom Roller Cover and Connection Piece

**30mm Esp.&Rail group contents

1 piece 15 Axis Esp. 1 piece Vertical and 2
pieces Horizontal Connection Esp., Bottom
Rail, Top Rail, Top Rail Closer Profile Bottom
Roller Cover and Connection Piece

***Accessory Group*

130 Kg Roller Set, 130 Kg Roller Cover Set, Cover Support
Piece, Top Rail End Cover Set, Bottom Rail Stopper Piece, Top
Rail Stopper Piece, Bottom Mile Support Piece,
Stay Arm Rail Connection Piece, Sash Tilt Piece, Top Mile
Support Piece, Stay arm & Cover, Handle(Optional), Corner
Transmission, Security Corner Transmission, Security
Bottom Lock Striker, Top Rail Connection Holder

Color Options
Standard color options are as belowed. Please have
contact with your customer representative for your other color requests.



Note: Technical detail sizes are millimetric.


Fornax PvcSlide TS-130M
Parallel Sliding Systems
Semi-Automatic

Hardware Technical Details

Type	:	Semi-Automatic (Y)
Scissors	:	Standart
Weight o the Sash	:	130 Kg
Axis	:	9mm -13mm
Width of the Sash	:	Min: 885mm - Max: 2400mm
Height of the Sash	:	Min: 710mm - Max: 1600mm

 Order Details

15mm Esp. Rail Set*		Vertical	Horizontal	Rail Size	Pcs
198.120.020.100	A200	885-1300	685-1100	2000	1 Set
198.120.020.200	B200	1185-1600	685-1100	2000	1 Set
198.120.020.300	C200	1585-2000	685-1100	2000	1 Set
198.120.020.400	D200	1985-2400	685-1100	2000	1 Set
198.120.026.100	A260	885-1300	885-1300	2600	1 Set
198.120.026.200	B260	1185-1600	885-1300	2600	1 Set
198.120.026.300	C260	1585-2000	885-1300	2600	1 Set
198.120.026.400	D260	1985-2400	885-1300	2600	1 Set
198.120.032.100	A320	885-1300	1185-1600	3200	1 Set
198.120.032.200	B320	1185-1600	1185-1600	3200	1 Set
198.120.032.300	C320	1585-2000	1185-1600	3200	1 Set
198.120.032.400	D320	1985-2400	1185-1600	3200	1 Set
30mm Esp. Rail Set**		Vertical	Horizontal	Rail Size	Pcs
198.120.120.300	C200	1585-2000	685-1100	2000	1 Set
198.120.120.400	D200	1985-2400	685-1100	2000	1 Set
198.120.126.300	C260	1585-2000	885-1300	2600	1 Set
198.120.126.400	D260	1985-2400	885-1300	2600	1 Set
198.120.132.300	C320	1585-2000	1185-1600	3200	1 Set
198.120.132.400	D320	1985-2400	1185-1600	3200	1 Set
Accessories Set***		Handle	Axis	R/L	Pcs
198.131.200.000	130Y		9	right	1 Set
198.131.200.100	130Y		13	right	1 Set
198.131.300.000	130Y		9	left	1 Set
198.131.300.100	130Y		13	left	1 Set
198.132.200.000	130Y		9	right	1 Set
198.132.200.100	130Y		13	right	1 Set
198.132.300.000	130Y		9	left	1 Set
198.132.300.100	130Y		13	left	1 Set



*15 mm Esp.&Rail group contents

1 piece 15 Axis Esp. , 1 piece vertical and 2 pieces Connection Piece, Bottom Rail, Top Rail, Top Rail Closer Profile, Bottom Roller Cover and Connection Mile.

**30mm Esp.&Rail group contents

1 piece 30 Axis Esp. , 1 piece vertical and 2 pieces Connection Piece, Bottom Rail, Top Rail, Top Rail Closer Profile, Bottom Roller Cover and Connection Mile.

***Accessory Group*

130 Kg Roller Set, 130 Kg Roller Cover Set, Cover Support Piece, Top Rail End Cover Set, Bottom Rail Stopper Piece, Top Rail Stopper Piece, Bottom Mile Support Piece, Stay Arm Rail Connection Piece, Sash Tilt Piece, Top Mile Support Piece, Stay arm & Cover, Handle(Optional), Corner Transmission, Security Corner Transmission, Security Bottom Lock Striker, Top Rail Connection Holder

Color Options
Standard color options are as belowed. Please have contact with your customer representative for your other color requests.



Note: Technical detail sizes are millimetric.


Fornax PvcSlide TS-130YL
Parallel Sliding Systems
Luxury Semi-Automatic

Hardware Technical Details

Type	:	Semi-Automatic (Y)
Scissors	:	Luxury (L)
Weight of the Sash	:	130 Kg
Axis	:	9mm -13mm
Width of the Sash	:	Min: 885mm - Max: 2400mm
Height of the Sash	:	Min: 710mm - Max: 1600mm

 Order Details

15mm Esp. Rail Set*		Vertical	Horizontal	Rail Size	Pcs
197.120.020.100	A200	885-1300	685-1100	2000	1 Set
197.120.020.200	B200	1185-1600	685-1100	2000	1 Set
197.120.020.300	C200	1585-2000	685-1100	2000	1 Set
197.120.020.400	D200	1985-2400	685-1100	2000	1 Set
197.120.026.100	A260	885-1300	885-1300	2600	1 Set
197.120.026.200	B260	1185-1600	885-1300	2600	1 Set
197.120.026.300	C260	1585-2000	885-1300	2600	1 Set
197.120.026.400	D260	1985-2400	885-1300	2600	1 Set
197.120.032.100	A320	885-1300	1185-1600	3200	1 Set
197.120.032.200	B320	1185-1600	1185-1600	3200	1 Set
197.120.032.300	C320	1585-2000	1185-1600	3200	1 Set
197.120.032.400	D320	1985-2400	1185-1600	3200	1 Set
30mm Esp. Rail Set**		Vertical	Horizontal	Rail Size	Pcs
197.120.120.300	C200	1585-2000	685-1100	2000	1 Set
197.120.120.400	D200	1985-2400	685-1100	2000	1 Set
197.120.126.300	C260	1585-2000	885-1300	2600	1 Set
197.120.126.400	D260	1985-2400	885-1300	2600	1 Set
197.120.132.300	C320	1585-2000	1185-1600	3200	1 Set
197.120.132.400	D320	1985-2400	1185-1600	3200	1 Set
Accessories Set***		Handle	Axis	R/L	Pcs
197.331.200.000	130ML		9	right	1 Set
197.331.200.100	130ML		13	right	1 Set
197.331.300.000	130ML		9	left	1 Set
197.331.300.100	130ML		13	left	1 Set
197.332.200.000	130ML		9	right	1 Set
197.332.200.100	130ML		13	right	1 Set
197.332.300.000	130ML		9	left	1 Set
197.332.300.100	130ML		13	left	1 Set



*15 mm Esp.&Rail group contents

1 piece 15 Axis Esp. , 1 piece vertical and 2 pieces Connection Piece, Bottom Rail, Top Rail Top Rail Closer Profile, Bottom Roller Cover and Connection Mile.

**30mm Esp.&Rail group contents

1 piece 30 Axis Esp. , 1 piece vertical and 2 pieces Connection Piece, Bottom Rail, Top Rail Top Rail Closer Profile, Bottom Roller Cover and Connection Mile.

***Accessory Group*

130 Kg Roller Set, 130 Kg Roller Cover Set, Cover Support Piece, Top Rail End Cover Set, Bottom Rail Stopper Piece, Top Rail Stopper Piece, Bottom Mile Support Piece, Stay Arm Rail Connection Piece, Sash Tilt Piece, Top Mile Support Piece, Stay arm & Cover, Handle (Optional), Corner Transmission, Security Corner Transmission, Security Bottom Lock Striker, Top Rail Connection Holder

Color Options
Standard color options are as belowed. Please have contact with your customer representative for your other color requests.



Note: Technical detail sizes are millimetric.



Fornax PvcSlide TNS-130K

Parallel Sliding Systems

Classic

Hardware Technical Details

Type	:	Classic (K)
Scissors	:	Standart
Weight of the Sash	:	130 Kg



 Order Details

Rail Set*		Rail Size		Pcs
199.420.020.000	A200	-	2000	1 Set
199.420.026.000	A260	-	2600	1 Set
199.420.032.000	A320	-	3200	1 Set
Accessories Set**		Handle	R/L	Pcs
199.431.200.000	130K		right	1 Set
199.431.200.100	130K		right	1 Set
199.431.300.000	130K		left	1 Set
199.431.300.100	130K		left	1 Set

*Rail Group Contents:

Bottom Rail, Top Rail, Top Rail Closer Profile
Bottom Roller Cover and Connection Mile.

**Accessory Group Contents:

130 Kg Roller Set, 130 Kg Roller Cover Set, Cover Support Piece, Top Rail End Cover Set, Bottom Rail Stopper Piece, Top Rail Stopper Piece, Bottom Mile Support Piece, Stay Arm Rail Connection Piece, Sash Tilt Piece, Top Mile Support Piece, Stayarm&Cover, Handle(Optional), Corner Transmission,Security Corner Transmission, Security Bottom Lock Striker, Top Rail Connection Holder

Color Options

Standard color options are as belowed. Please have contact with your customer representative for your other color requests.

Rail-9016

Rail-8022

Rail-9006



Bronze

Note: Technical detail sizes are millimetric.

Fornax PvcNeoSlide TNS-130KL
Parallel Sliding Systems
Classic Luxer

Hardware Technical Details

Type	:	Classic (K)
Scissors	:	Luxury (L)
Weight of the Sash	:	130 Kg



 Order Details

Rail Set*		Rail Size		Pcs
197.410.020.000	A200	-	2000	1 Set
197.410.026.000	A260	-	2600	1 Set
197.410.032.000	A320	-	3200	1 Set
Accessories Set**		Handle	R/L	Pcs
197.431.200.000	130KL		right	1 Set
197.431.200.100	130KL		left	1 Set
197.431.300.000	130KL		right	1 Set
197.431.300.100	130KL		left	1 Set

*Rail Group Contents:

Bottom Rail, Top Rail, Top Rail Closer Profile
Bottom Roller Cover and Connection Mile.

**Accessory Group Contents:

130 Kg Roller Set, 130 Kg Roller Cover Set, Cover Support Piece, Top Rail End Cover Set, Bottom Rail Stopper Piece, Top Rail Stopper Piece, Bottom Mile Support Piece, Stay Arm Rail Connection Piece, Sash Tilt Piece, Top Mile Support Piece, Stayarm&Cover, Handle(Optional), Corner Transmission, Security Corner Transmission, Security Bottom Lock Striker, Top Rail Connection Holder

Color Options
Standard color options are as belowed. Please have
contact with your customer representative for your other color requests.



Note: Technical detail sizes are millimetric.


Fornax PvcSlide BS
Simple Sliding Hardwares

Simple and Useful

Simple sliding systems are functional both in leaving a large area at crossing among areas and presenting a large area of view and also useful with using more than one open sash. Improved for this kind of systems Fornax BS serie carries out its function in maximum productivity with .simple sliding hardwares, different sliding roller-espagnolet combinations and under sash weights up to 100 kg.

Produced with completely special powered materials Fornax BS hardwares presents aesthetic vision and functionality with its simple working and optional variety of handles. Owing to its simple sliding hardwares , of different espagnolette axis options Fornax BSS is suitable to all simple sliding profiles; it presents easy, fast and faultless assembling possibi-lity.

Providing maximum security owing to its lockable espagnolette options its different pin options which provides different security levels Fornax BSS hardwares with superior coating with nano technology makes our product possible to use for along time without fault by showing maximum resistance against corrosion .



Our Advantages

- The possibility of usage in all kinds of profiles without fault owing to its different espagnolette axis options.
- Up to 100 kg maximum carrying capacity with its different carry-roller options.
- Maximum resistance against corrosion with superior coating technology YelkenCoat.



Fornax Slide BS


Simple Sliding Hardware

Technical Hardware Specifications

- KG - Sash Width.....500mm - 1600mm
- KY - Sash Height.....400mm - 2100mm
- KA.kg_{max} - Sash Weight.....max. 100 kg

Color Options

- Standard color options are as belowed. Please have contact with your customer representative for your other color requests.





Fornax PvcSlide BS

Simple Sliding

7,5mm Espagnolette

Hardware Technical Details

Usage Range	:	Min: 210mm - Max: 2100mm
Axis	:	7,5mm
Handle Pl.	:	Centred Handle
Body Type	:	Zamac
Security Level	:	w/Sliding Pin



 Order Details

Code	Description		
		Amount	Kg
110.060.307.200	600/7,5mm Simple Sliding Espagnolette	50	15.75
110.080.307.200	800/7,5mm Simple Sliding Espagnolette	50	20.30
110.100.307.200	1000/7,5mm Simple Sliding Espagnolette	50	24.60
110.120.307.200	1200/7,5mm Simple Sliding Espagnolette	50	29.30
110.140.307.200	1400/7,5mm Simple Sliding Espagnolette	25	17.65
110.160.307.200	1600/7,5mm Simple Sliding Espagnolette	25	20.15
110.180.307.200	1800/7,5mm Simple Sliding Espagnolette	25	22.40
110.200.307.200	2000/7,5mm Simple Sliding Espagnolette	25	24.65

 Technical Details



KA	A	B	C	D	E	F		
600-800	600	-	-	175	175	106,5	8	2
800-1000	800	-	-	275	275	106,5	8	2
1000-1200	1000	94	-	375	375	131,5	10	3
1200-1400	1200	94	-	475	475	166	10	3
1400-1600	1400	266	266	575	575	166	10	3
1600-1800	1600	300	300	675	675	200	10	3
1800-2000	1800	300	300	775	775	200	12	4
2000-2100	2000	300	300	875	875	200	12	4

Note: Technical detail sizes are millimetric.

Fornax PvcSlide BS
Simple Sliding
7,5mm Espagnolette w/Zamac Pin

Hardware Technical Details

Usage Range	:	Min: 210mm - Max: 2100mm
Axis	:	7,5mm
Handle Pl.	:	Centred Handle
Body Type	:	Zamac
Security Level	:	Zamac Pin



Order Details

Code	Description		
		Amount	Kg
110.021.307.201	210/7,5mm Simple Sliding Espagnolette	50	-
110.060.307.201	600/7,5mm Simple Sliding Espagnolette	50	-
110.080.307.201	800/7,5mm Simple Sliding Espagnolette	50	-
110.180.307.201	1800/7,5mm Simple Sliding Espagnolette	25	-

Technical Details

KA	A	B	C	D	E	F		
210-280	267	-	80,8	-	26,8	-	2	1
600-800	596	212	212	-	32	-	6	2
1000-1200	996	412	412	-	32	-	6	2
1800-2000	1796	812	812	120	32	-	10	3

Note: Technical detail sizes are millimetric.



Fornax PvcSlide BSS

Simple Sliding

15mm Espagnolette

Hardware Technical Details

Usage Range	:	Min: 210mm - Max: 2100mm
Axis	:	15mm
Handle Pl.	:	Centred Handle
Body Type	:	Zamac
Security Level	:	w/Sliding Pin



 Order Details

Code	Description		
		Amount	Kg
110.060.315.200	600/15mm Simple Sliding Espagnolette	50	-
110.080.315.200	800/15mm Simple Sliding Espagnolette	50	-
110.100.315.200	1000/15mm Simple Sliding Espagnolette	50	-
110.120.315.200	1200/15mm Simple Sliding Espagnolette	50	-
110.140.315.200	1400/15mm Simple Sliding Espagnolette	25	-
110.160.315.200	1600/15mm Simple Sliding Espagnolette	25	-
110.180.315.200	1800/15mm Simple Sliding Espagnolette	25	-
110.200.315.200	2000/15mm Simple Sliding Espagnolette	25	-

 Technical Details

KA	A	B	C	D	E	F		
600-800	600	-	-	175	175	106,5	8	2
800-1000	800	-	-	275	275	106,5	8	2
1000-1200	1000	94	-	375	375	131,5	10	3
1200-1400	1200	94	-	475	475	166	10	3
1400-1600	1400	266	266	575	575	166	10	3
1600-1800	1600	300	300	675	675	200	10	3
1800-2000	1800	300	300	775	775	200	12	4
2000-2100	2000	300	300	875	875	200	12	4

Note: Technical detail sizes are millimetric.



Fornax PvcSlide BSS

Simple Sliding

7,5mm Espagnolette w/Zamac Pin

Hardware Technical Details

Usage Range	:	Min: 210mm - Max: 2100mm
Axis	:	15mm
Handle Pl.	:	Centred Handle
Body Type	:	Zamac
Security Level	:	Zamac Pin



Order Details

Code	Description		
		Amount	Kg
110.021.315.201	210/15mm Simple Sliding Espagnolette	50	-
110.060.315.201	600/15mm Simple Sliding Espagnolette	50	-
110.080.315.201	800/15mm Simple Sliding Espagnolette	50	-
110.180.315.201	1800/15mm Simple Sliding Espagnolette	25	-

Technical Details

KA	A	B	C	D	E	F		
210-280	267		80,8		26,8		2	1
600-800	596	212	212	-	32	-	6	2
1000-1200	996	412	412		32		6	2
1800-2000	1796	812	812	120	32	-	10	3

Note: Technical detail sizes are millimetric.



Fornax PvcSlide BSS

Simple Sliding

15mm Espagnolette w/Additional Lock

Hardware Technical Details

Usage Range	:	Min: 210mm - Max: 2100mm
Axis	:	15mm
Handle Pl.	:	Centred Handle
Body Type	:	ZamZamacak
Security Level	:	w/Sliding Pin



Order Details

Code	Description		
		Amount	Kg
110.160.315.203	1600/15mm Simple Sliding Espagnolette w/Additional Lock	20	-
110.180.315.203	1800/15mm Simple Sliding Espagnolette w/Additional Lock	20	-
110.200.315.203	2000/15mm Simple Sliding Espagnolette w/Additional Lock	20	-

Technical Details

KA	A	B	C	D	E	F		
1600-1800	1600	-	-	675	675	106,5	10	3
1800-2000	1800	320	300	775	775	106,5	12	4
2000-2100	2000	320	300	875	875	131,5	12	4

Note: Technical detail sizes are millimetric.



Fornax PvcSlide BSS

Simple Sliding

15mm Espagnolette (IronSheet Gearbox)

Hardware Technical Details

Usage Range:	: Min: 210mm - Max: 2100mm
Axis:	: 15mm
Handle Pl.:	: Centred Handle
Body Type:	: w/IronSheet
Security Level:	: w/Sliding Pin



Order Details

Code	Description	Amount	
		Amount	Kg
115.060.315.100	600/15mm Simple Sliding Espagnolette	50	-
115.080.315.100	800/15mm Simple Sliding Espagnolette	50	-
115.100.315.100	1000/15mm Simple Sliding Espagnolette	50	-
115.120.315.100	1200/15mm Simple Sliding Espagnolette	50	-
115.140.315.100	1400/15mm Simple Sliding Espagnolette	25	-
115.160.315.100	1600/15mm Simple Sliding Espagnolette	25	-
115.180.315.100	1800/15mm Simple Sliding Espagnolette	25	-
115.200.315.100	2000/15mm Simple Sliding Espagnolette	25	-

Technical Details

KA	A	B	C	D	E	F		
600-800	600	-	-	175	175	106,5	8	2
800-1000	800	-	-	275	275	106,5	8	2
1000-1200	1000	94	-	375	375	131,5	10	3
1200-1400	1200	94	-	475	475	166	10	3
1400-1600	1400	266	266	575	575	166	10	3
1600-1800	1600	300	300	675	675	200	10	3
1800-2000	1800	300	300	775	775	200	12	4
2000-2100	2000	300	300	875	875	200	12	4

Note: Technical detail sizes are millimetric.



Fornax PvcSlide BSS

Simple Sliding

22mm Espagnolette

Hardware Technical Details

Usage Range	:	Min: 210mm - Max: 2100mm
Axis	:	22mm
Handle Pl.	:	Centred Handle
Body Type	:	Zamac
Security Level	:	w/Sliding Pin



 Order Details

Code	Description		
		Amount	Kg
110.060.322.200	600/22mm Simple Sliding Espagnolette	50	-
110.080.322.200	800/22mm Simple Sliding Espagnolette	50	-
110.100.322.200	1000/22mm Simple Sliding Espagnolette	50	-
110.120.322.200	1200/22mm Simple Sliding Espagnolette	50	-
110.140.322.200	1400/22mm Simple Sliding Espagnolette	25	-
110.160.322.200	1600/22mm Simple Sliding Espagnolette	25	-
110.180.322.200	1800/22mm Simple Sliding Espagnolette	25	-
110.200.322.200	2000/22mm Simple Sliding Espagnolette	25	-

 Technical Details



KA	A	B	C	D	E	F		
600-800	600	-	-	175	175	106,5	8	2
800-1000	800	-	-	275	275	106,5	8	2
1000-1200	1000	94	-	375	375	131,5	10	3
1200-1400	1200	94	-	475	475	166	10	3
1400-1600	1400	266	266	575	575	166	10	3
1600-1800	1600	300	300	675	675	200	10	3
1800-2000	1800	300	300	775	775	200	12	4
2000-2100	2000	300	300	875	875	200	12	4

Note: Technical detail sizes are millimetric.

Fornax PvcSlide BSS
Simple Sliding
25mm Espagnolette

Hardware Technical Details

Usage Range	:	Min: 210mm - Max: 2100mm
Axis	:	25mm
Handle Pl.	:	Centred Handle
Body Type	:	Zamac
Security Level	:	w/Sliding Pin



Order Details

Code	Description		
		Amount	Kg
110.060.325.200	600/22mm Simple Sliding Espagnolette	50	-
110.080.325.200	800/22mm Simple Sliding Espagnolette	50	-
110.100.325.200	1000/22mm Simple Sliding Espagnolette	50	-
110.120.325.200	1200/22mm Simple Sliding Espagnolette	50	-
110.140.325.200	1400/22mm Simple Sliding Espagnolette	25	-
110.160.325.200	1600/22mm Simple Sliding Espagnolette	25	-
110.180.325.200	1800/22mm Simple Sliding Espagnolette	25	-
110.200.325.200	2000/22mm Simple Sliding Espagnolette	25	-

Technical Details

KA	A	B	C	D	E	F		
600-800	600	-	-	175	175	106,5	8	2
800-1000	800	-	-	275	275	106,5	8	2
1000-1200	1000	94	-	375	375	131,5	10	3
1200-1400	1200	94	-	475	475	166	10	3
1400-1600	1400	266	266	575	575	166	10	3
1600-1800	1600	300	300	675	675	200	10	3
1800-2000	1800	300	300	775	775	200	12	4
2000-2100	2000	300	300	875	875	200	12	4

Note: Technical detail sizes are millimetric.

Kırac İstiklal Mah. Ahmet Hasim Cad. No: 27
Esenyurt - İstanbul - TURKEY
Telefon : +90 212 771 01 01 PBX
Faks : +90 212 771 01 15
sales@fornax.com.tr
www.fornax.com.tr

